

United States Department of the Interior



FISH AND WILDLIFE SERVICE Red Bluff Fish & Wildlife Office 10950 Tyler Road, Red Bluff, California 96080 (530) 527-3043, FAX (530) 529-0292

December 21, 2021

To: Interested Parties

From: Scott Voss, Supervisory Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (October 22, 2021 - November 4, 2021)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of unmarked juvenile salmonids sampled at Red Bluff Diversion Dam for the period October 22, 2021 through November 4, 2021. Race designation was assigned using length-at-date criteria.

Mean cumulative weekly passage of winter Chinook thru November 4 (week 44) for the last 18 years of passage data is 81.2% with one standard deviation measuring 14.4%.

NOTE: Bi-weekly reports produced after July 1, 2021 will be revised at a later date due to ongoing trap efficiency model analyses. Due to changes in river channel morphology in recent years at the Red Bluff Diversion Dam sample site along with sampling predominantly smaller 5' rotary traps, trap efficiency estimators and models are being reviewed at this time and passage estimates are subject to change in-season and/or post-season. This report contains passage estimates using a trap efficiency model that includes data from mark-recapture experiments from 2018-2021 and is currently the best available data to report preliminary real-time passage estimates with. Feel free to contact me if there are any questions.

This report also contains graphical displays of salmonid passage dating back to 2014 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 243.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

	Discharge volume (cfs) 1	Water temperature (°C)	Water turbidity (NTU)	Estimated passage				
Date				BY21 Winter	BY21 Spring	BY20 Fall	BY21 Late-Fall	BY21 RBT
10/22/2021	7,292	15.8	2.7	1,539 (32 – 68)	0 (-)	0(-)	0(-)	0(-)
10/23/2021	8,938	15.4	5.2	11,693 (33 – 70)	0 (-)	491 (128 – 140)	2,730 (71 – 126)	0(-)
10/24/2021	8,938	14.4	7.6	7,816 (32 – 71)	0 (-)	310 (137 – 142)	683 (71 – 124)	0 (-)
10/25/2021	36,847	14.1	_	_	_	_	_	_
10/26/2021	18,247	14.3	_	_	_	_	_	_
10/27/2021	10,345	14.8	11.7	6,808 (32 – 72)	0 (-)	257 (134 – 150)	685 (73 – 130)	171 (70 – 175)
10/28/2021	8,768	15.6	5.3	2,830 (34 - 69)	0 (-)	0 (-)	363 (74 – 128)	0 (-)
10/29/2021	7,756	15.8	5.6	3,389 (34 – 73)	0 (-)	36 (141)	326 (74 – 132)	0(-)
10/30/2021	7,078	16.0	5.9	3,590 (27 – 73)	0 (-)	251 (134 – 164)	390 (74 – 131)	67 (67 – 118)
10/31/2021	6,741	15.7	7.2	2,770 (30 – 73)	0 (-)	145 (138 – 180)	503 (76 – 130)	36 (88)
11/1/2021	6,418	15.3	10.5	3,433 (34 – 74)	0 (-)	74 (139 – 158)	481 (75 – 134)	0(-)
11/2/2021	6,935	15.2	13.3	4,024 (30 – 75)	0 (-)	425 (137 – 174)	1,018 (78 – 136)	32 (64)
11/3/2021	7,117	15.2	22.4	7,826 (30 – 75)	0 (-)	445 (139 – 166)	3,217 (76 – 137)	0(-)
11/4/2021	6,418	15.3	13.8	5,063 (29 - 76)	0 (-)	68 (142)	1,033 (77 – 137)	0 (-)
Biweekly Total ²				73,055	0	2,925	13,213	374
Biweekly Lower 90% Confidence Interval				48,099	0	1,453	7,241	-74
Biweekly Upper 90% Confidence Interval				98,012	0	4,398	19,186	823
Brood Year Total				507,754	0	11,154,341	29,945	81,007
Brood year Lower 90% Confidence Interval				383,835	0	7,198,879	14,617	49,024
Brood year Upper 90% Confidence Interval				631,674	0	15,109,803	45,273	112,991

¹ Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd).

² Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week.




Figure 1. Weekly estimated passage of unmarked juvenile winter Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2008 to present.

 $^{^*}Winter\ Chinook\ passage\ value\ interpolated\ using\ a\ monthly\ mean\ for\ the\ period\ October\ 1,\ 2013\ -\ October\ 17,\ 2013\ due\ to\ government\ s\ hutdown\ .$

^{**}Winter Chinook passage value reflects addition of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period Oct 16th thru Nov 18th during brood years 2017 thru 2020. See memos on 2018 & 2019 biweekly report pages for more info.

^{***}Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from COVID-19 global pandemic.




Figure 2. Weekly estimated passage of unmarked juvenile spring Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2015 to present.

^{*}Spring Chinook passage value reflects subtraction of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period of October 16th thru November 18th during brood years 2017 thru 2020. See memos on biweekly report website for more info.

^{**}Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended from March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from the Coronavirus/COVID-19 global pandemic.

Juvenile Onchorhyncus mykiss Estimated Passage




Figure 3. Weekly estimated passage of unmarked juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2015 to present.

*Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended from March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from the Coronavirus/COVID-19 global pandemic.




Figure 4. Weekly estimated passage of unmarked juvenile fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2014 to present.

^{*}Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended from March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from the Coronavirus/COVID-19 global pandemic.

Juvenile Late Fall Chinook Salmon Estimated Passage




Figure 5. Weekly estimated passage of unmarked juvenile late fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2015 to present.

^{*}Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended from March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from the Coronavirus/COVID-19 global pandemic.




Figure 6. Weekly estimated passage of unmarked juvenile Chinook salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2014 to December 31, 2020.

^{*}Rotary-trapping/juvenile fish monitoring operations at the Red Bluff Diversion Dam were suspended from March 25, 2020 to June 30, 2020, to protect employee health and safety resulting from the Coronavirus/COVID-19 global pandemic.